

## Machine Specifications Brochure

### i95 Plus Brüllen | Three Flavour | Floor Standing Machine

Classic Range



Pastels Range



Designer Range



Sales | Service | Supply | Installation | Worldwide

# BRÜLLEN i95 Plus

i95 Plus Pump or Gravity Feed – Soft Serve Ice Cream & Frozen Yoghurt Machine

## Things we want you to know!

Stylish look, large colour range

Stylish looks and colours to suit any decor. We can also supply custom colours (minimum machine numbers required).

Large Production Capacity

Continuous production capacity even at peak times

Adjustable Product Hardness

Adjust the settings to your preferred product consistency

Stainless Steel Pressurised Gear Pump

With Stainless steel gears, the pump ensures the product texture, quality and high overrun, adjustable to 40% to 80%

Gravity Feed System

Control valves naturally add air to the mix producing a consistent product texture and high overrun adjustable to 15% to 60%

Serve Counter

Allows operator to keep count of number of serves made. Can be reset for daily/weekend etc. use.

Self-Closing Draw Handle

The handle closes automatically stopping the flow of product, minimising waste and mess

High Quality Scraper Blade

High efficiency scraper blade with double plastic scrapers for a soft and creamy product

Mix Level Sensor

Mix low light with audible signal alerts operator to add mix, the mix out feature will shut down the machine

Secure Freezer Door System

Beater motor will not operate without the freezer door secured in place.

Easy Code System

Uncomplicated error code display, making machine functions simpler to understand

Lock Out Cleaning Timer

This timer can be set in line with cleaning schedule. The machine will shut down once the allocated number of days have elapsed. This function ensures the user is aware of when the machine should be cleaned.

All Specifications must be considered approximate: Brüllén reserves the right to modify, without notice, all parts deemed necessary



For Sales, Parts and Service

(Int.) +61 2 9612 0000 (Aus.) 1800 784 448 (Fax) +61 2 9602 2606  
info@brüllen.com.au www.brüllen.com.au

# Brüllen i95 Plus - Things you need to know!

Overrun – Gravity Feed Model	15% – 60%
Overrun – Air Pump Model	40% - 80%
Mix Tank – Gravity Feed Model	2 x 15 Litres
Mix Tank – Air Pump Model	2 x 15 Litres
Scraper Blade	Plastic (POM)
Freezing Cylinder Capacity	2 x 2.1 Litres
Compressor Motor	2 x 1.5 HP
Refrigerant Type	R404a
Pre-Cooling Compressor Motor	Twin Twist System (1/6HP) (R134a)
Electric Motor	2 x 1100W
Condenser	Air
Dryer	Danfoss
Expansion Valve	Danfoss
Electric Fan	16inch Outer Rotor
Electrical Specifications Volt/Hz	220V-240V/50HZ
Fuse Size	18A
Nominal Power	2x2.0kW
Capacity	57Kg or 40L/H
Cups per Hour	880 Cups per Hour (*80gram per Cup)
How many consecutive cups?	35 cup* serves can be drawn per side consecutively without a break. For more than 35 consecutive serves a 2 second rest between serves is recommended
Machine weight	Gravity Feed – 290kg Air Pump – 286kg
Machine weight with packaging	Gravity Feed – 316kg Air Pump – 320kg
Machine Size W x D x H	620 x 995 x 1630 (mm)
Packaging Size W x D x H	780 x 1035 x 1790 (mm)

All Specifications must be considered approximate: Brüllen reserves the right to modify, without notice, all parts deemed necessary.

# BRÜLLEN

We supply, install and service  
soft serve ice cream & frozen yoghurt machines  
for individuals, multi-national and international retailers,  
worldwide.



Call us today, we are happy to discuss your needs.

Sales | Service | Supply | Installation | Worldwide

(International) +61 2 9612 0000

(Australia) 1800 784 448

(Fax) +61 2 9602 2606

[info@brüllen.com.au](mailto:info@brüllen.com.au)

[www.brüllen.com.au](http://www.brüllen.com.au)