


## Machine Specifications Brochure

### i91 Brüllen | Single Flavour | Countertop Machine

Classic Range



Pastels Range



Designer Range



Sales | Service | Supply | Installation | Worldwide

(Int.) +61 2 9612 0000 (Aus.) 1800 784 448  
info@brüllen.com.au www.brüllen.com.au

### Things we want you to know!

Stylish look, large colour range

Stylish looks and colours to suit any decor. We can also supply custom colours (minimum machine numbers required).

Adjustable Product Hardness

Adjust the settings to your preferred product consistency

Stainless Steel Pressurised Gear Pump

With Stainless steel gears, the pump ensures the product texture, quality and high overrun, adjustable to 40% to 80%

Gravity Feed System

Control valves naturally add air to the mix producing a consistent product texture and high overrun adjustable to 15% to 60%

Serve Counter

Allows operator to keep count of number of serves made. Can be reset for daily/weekend etc. use.

High Quality Scraper Blade

High efficiency scraper blade with double plastic scrapers for a soft and creamy product

Mix Level Sensor

Mix low light with audible signal alerts operator to add mix, the mix out feature will shut down the machine

Secure Freezer Door System

Beater motor will not operate without the freezer door secured in place.

Easy Code System

Uncomplicated error code display, making machine functions simpler to understand

Lock Out Cleaning Timer

This timer can be set in line with cleaning schedule. The machine will shut down once the allocated number of days have elapsed. This function ensures the user is aware of when the machine should be cleaned.

All Specifications must be considered approximate: Brüllen reserves the right to modify, without notice, all parts deemed necessary



For Sales, Parts and Service

(Int.) +61 2 8076 6075 (Aus.) 1800 784 448  
info@brüllen.com.au www.brüllen.com.au

# Brüllen i91 – Things you need to know!

Overrun – Gravity Feed Model	15% - 60%
Overrun – Air Pump Model	40% - 80%
Mix Tank – Gravity Feed Model	15 Litres
Mix Tank – Air Pump Model	15 Litres
Scraper Blade	Plastic (POM)
Freezing Cylinder Capacity	2.1 Litres
Compressor Motor	1.5 HP
Refrigerant Type	R404a
Pre-Cooling Compressor Motor	Single Barrel (1/6HP) (R134a)
Electric Motor	1100W
Condenser	Air
Dryer	Danfoss
Expansion Valve	Danfoss
Electric Fan	12inch Outer Rotor
Electrical Specifications Volt/Hz	220V-240V/50HZ
Electrical Phase	Single Phase
Power Outlet/Plug	15 AMPS
Fuse Size	9A
Nominal Power	2.0kW
Capacity	17 Kg or 20L/H
Cups per Hour	270 Cups per Hour (*80gram per Cup)
How many consecutive cups?	6 cup* serves can be drawn consecutively without a break. For more than 6 consecutive serves a 3 second rest between serves is recommended
Machine weight	Gravity Feed – 124kg Air Pump – 126kg
Machine weight with packaging	Gravity Feed – 164kg Air Pump – 166kg
Machine Size W x D x H	517 x 515 x 765 (mm)
Packaging Size W x D x H	680 x 900 x 1010 (mm)

All Specifications must be considered approximate: Brüllen reserves the right to modify, without notice, all parts deemed necessary.

# BRÜLLEN

We supply, install and service  
soft serve ice cream & frozen yoghurt machines  
for individuals, multi-national and international retailers,  
worldwide.



Call us today, we are happy to discuss your needs.

Sales | Service | Supply | Installation | Worldwide

(International) +61 2 9612 0000  
(Australia) 1800 784 448

[info@brullen.com.au](mailto:info@brullen.com.au)  
[www.brullen.com.au](http://www.brullen.com.au)